



Telemetry Antenna S02F102-F5

S02F102-F5 is a light weight low profile blade antenna, designed for telemetry and beacon application in the frequency band of 5400-5900 MHz .

Electrical design involves matching circuits coupled to a monopole terminated with a co-axial connector providing virtually perfect omni-directivity over the full operating range. Shell is vacuum moulded from single-piece glass to provide a rugged and reliable aerodynamic structure for withstanding the extreme environmental conditions experienced on subsonic & supersonic aerodynes. S02F102-F5 is designed to meet military, regulatory and statutory standards.

ELECTRICAL SPECIFICATION

Frequency Range	: 5400 - 5900 MHz
VSWR	: 1.5:1 Max
Pattern	: Nominally Omnidirectional in Azimuth
Impedance	: 50Ω
Polarization	: Vertical (Vertically Mounted)
RF Power	: 20W CW




ENVIRONMENTAL SPECIFICATION

Temperature Range	: -54°C to +90°C
Altitude	: 35,000 Feet
Generally in accordance with MIL-STD-810	

MECHANICAL SPECIFICATION

Weight	: 19 Grams (Max)
Height	: 25 mm (Max)
Colour	: Black
Finish	: Mat
Connector	: SMA Female
Dimension	: Refer Drawing Overleaf

DRAWING SPECIFICATION FOR TELEMETRY ANTENNA S02F102-F5



All dimensions are in mm
Drawing not to scale

Two counter sunk fixing hole with 3.5 mm diameter



For installation use factory supplied drawings and instructions

Specifications are subjected to change without prior notice

Spectrum Antenna & Avionics Systems (P) Ltd, Cochin, India.

Contact for custom requirements

info@spectrumantennas.com

www.spectrumantennas.com